



Micro Quality Labs, Inc.

Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing
3125 N. Damon Way • Burbank, California 91505
(818) 845-0070 • Fax: (818) 845-0030
E-Mail: Karine@MicroQualityLabs.com



Customer: Oasia Biotech Inc
Address: 4508 Park Serena
Calabasa, CA 91302

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: **SPIRULINA**
Product Code: N/A
Batch/Lot: N/A
MQL Accession: 200226-0275

PO#: N/A
Sample Description: N/A
Rush: N/A
Received Date: 02/26/20

Test Requested:	Test Method:	Specification:	Results:
Lead	MQLTM-0278 By ICP-MS	N/A	0.011 ppm
Arsenic	MQLTM-0278 By ICP-MS	N/A	0.047 ppm
Cadmium	MQLTM-0278 By ICP-MS	N/A	Not Detected (MDL 0.003 ppm)
Mercury	MQLTM-0278 By ICP-MS	N/A	Not Detected (MDL 0.001 ppm)

Prepared By:

Carolina Guzman/Document Control Specialist

FEB 28 2020

02/28/20

Reviewed By:

Sade Rodriguez/Quality Assurance Reviewer

FEB 28 2020

02/28/20

Micro Quality Laboratories, Inc. (MQL), is an A2LA ISO 17025 accredited testing laboratory (Certificate Number 3034.01). The requirements of ISO 17025 were followed for the test, results and preparation of this certificate of analysis. MQL's scope of accreditation may be found on A2LA or MQL websites.

The aforementioned results on this report are representative of the samples submitted and may not be indicative of the entire manufacture, batch, and/or lot. Applicable current GMP's shall always be used when sampling. GLP's shall always be practiced by Micro Quality Labs to ensure the most accurate results.

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the name of Micro Quality Labs, Inc. nor any member of its staff, may be used in connection with the advertising or sale of any product or process without written authorization from Micro Quality Labs, Inc. Failure to comply will result in immediate legal action by Micro Quality Labs, Inc.